



STANDARD DIE CATALOG (Other sizes subject to inquiry)

CONFIDENTIAL - DO NOT REDISTRIBUTE

Depot - Effective 6-25-07

Alloy	Temper	Shape	A Dim	B Dim	T Dim	Wall	Length	Stk # East of Rockies	Stk # West of Rockies	Bundle Weight (LBS)
6061	T6511	Rod	0.500				12'	599	599	486
6061	T6511B	Precision Rod (1)	0.625				12'	557	528	503
6061	T6511B	Precision Rod (1)	0.750				12'	501	529	505
6061	T6511B	Precision Rod (1)	0.875				12'	502	532	509
6061	T6511B	Precision Rod (1)	1.000				12'	503	533	487
6061	T6511B	Precision Rod (1)	1.125				12'	508	535	519
6061	T6511B	Precision Rod (1)	1.250				12'	505	537	502
6061	T6511B	Precision Rod (1)	1.375				12'	506	538	461
6061	T6511B	Precision Rod (1)	1.500				12'	500	539	548
6061	T6511B	Precision Rod (1)	1.625				12'	563	540	498
6061	T6511B	Precision Rod (1)	1.750				12'	550	541	509
6061	T6511B	Precision Rod (1)	1.875				12'	504	542	506
6061	T6511B	Precision Rod (1)	2.000				12'	551	543	488
6061	T6511B	Precision Rod (1)	2.125				12'	564	544	551
6061	T6511B	Precision Rod (1)	2.250				12'	552	545	505
6061	T6511B	Precision Rod (1)	2.375				12'	509	546	500
6061	T6511B	Precision Rod (1)	2.500				12'	553	547	485
6061	T6511B	Precision Rod (1)	2.625				12'	510	548	535
6061	T6511B	Precision Rod (1)	2.750				12'	554	549	503
6061	T6511B	Precision Rod (1)	2.875				12'	565	524	550
6061	T6511B	Precision Rod (1)	3.000				12'	555	526	499
6061	T6511B	Precision Rod (3)	1.188				12'	530		531
6061	T6511	Round Rod	3.125				12'	531	531	649
6061	T6511	Round Rod	3.250				12'	519	519	703
6061	T6511	Round Rod	3.375				12'	534	534	631
6061	T6511	Round Rod	3.500				12'	512	512	679
6061	T6511	Round Rod	3.625				12'	525	525	728
6061	T6511	Round Rod	3.750				12'	520	520	935
6061	T6511	Round Rod	4.000				12'	513	513	887
6061	T6511	Round Rod	4.250				12'	515	515	1001
6061	T6511	Round Rod	4.500				12'	516	516	1122
6061	T6511	Round Rod	4.750				12'	517	517	1000
6061	T6511	Round Rod	5.000				12'	518	518	1108
6061	T6511	Round Rod	5.250				12'	566	566	916
6061	T6511	Round Rod	5.500				12'	521	521	1006
6061	T6511	Round Rod	5.750				12'	527	527	1099
6061	T6511	Round Rod	6.000				12'	522	522	1197
6061	T6511	Round Rod	6.250				12'	567	567	866
6061	T6511	Round Rod	6.500				12'	523	523	931
6061	T6511	Round Rod	6.750				12'	571	571	1010
6061	T6511	Round Rod	7.000				12'	570	570	1086
6061	T6511	Round Rod (2)	6.125				12'		592	832
6061	T6511	Round Rod (4)	7.250				12'	572	572	1165
6061	T6511	Round Rod (4)	7.500				12'	575	575	1247
6061	T6511	Round Rod (4)	8.000				12'	581	581	1418
6061	T6511	Rectangular Bar (3)	0.125	2.000			12'	396		512
6061	T6511	Rectangular Bar (3)	0.188	2.000			12'	392		508
6061	T6511	Rectangular Bar	0.250	1.000			12'	330	330	508

Alloy	Temper	Shape	A Dim	B Dim	T Dim	Wall	Length	Stk # East of Rockies	Stk # West of Rockies	Bundle Weight (LBS)
6061	T6511	Rectangular Bar	0.250	1.250			12'	378	378	495
6061	T6511	Rectangular Bar	0.250	1.500			12'	350	350	508
6061	T6511	Rectangular Bar	0.250	2.000			12'	306	306	508
6061	T6511	Rectangular Bar	0.250	2.500			12'	488	488	494
6061	T6511	Rectangular Bar	0.250	3.000			12'	320	320	508
6061	T6511	Rectangular Bar	0.250	4.000			12'	344	344	508
6061	T6511	Rectangular Bar	0.250	5.000			12'	358	358	494
6061	T6511	Rectangular Bar	0.250	6.000			12'	385	385	508
6061	T6511	Rectangular Bar	0.250	8.000			12'	434	434	508
6061	T6511	Rectangular Bar (2)	0.375	0.750			12'		731	499
6061	T6511	Rectangular Bar	0.375	1.000			12'	390	390	508
6061	T6511	Rectangular Bar	0.375	1.250			12'	426	426	505
6061	T6511	Rectangular Bar	0.375	1.500			12'	380	380	508
6061	T6511	Rectangular Bar	0.375	2.000			12'	334	334	508
6061	T6511	Rectangular Bar	0.375	2.500			12'	489	489	476
6061	T6511	Rectangular Bar	0.375	3.000			12'	322	322	508
6061	T6511	Rectangular Bar	0.375	4.000			12'	332	332	508
6061	T6511	Rectangular Bar	0.375	5.000			12'	644	644	529
6061	T6511	Rectangular Bar	0.375	6.000			12'	435	435	508
6061	T6511	Rectangular Bar	0.375	8.000			12'	437	437	508
6061	T6511	Rectangular Bar	0.500	0.750			12'	648	648	517
6061	T6511	Rectangular Bar	0.500	1.000			12'	342	342	494
6061	T6511	Rectangular Bar	0.500	1.250			12'	408	408	494
6061	T6511	Rectangular Bar	0.500	1.500			12'	348	348	508
6061	T6511	Rectangular Bar	0.500	1.750			12'	733	733	519
6061	T6511	Rectangular Bar	0.500	2.000			12'	336	336	508
6061	T6511	Rectangular Bar	0.500	2.500			12'	346	346	494
6061	T6511	Rectangular Bar	0.500	3.000			12'	304	304	508
6061	T6511	Rectangular Bar	0.500	3.500			12'	650	650	519
6061	T6511	Rectangular Bar	0.500	4.000			12'	308	308	508
6061	T6511	Rectangular Bar	0.500	5.000			12'	676	676	494
6061	T6511	Rectangular Bar	0.500	6.000			12'	446	446	508
6061	T6511	Rectangular Bar	0.500	8.000			12'	439	439	564
6061	T6511	Rectangular Bar	0.625	1.000			12'	414	414	528
6061	T6511	Rectangular Bar (2)	0.625	1.250			12'	734	734	528
6061	T6511	Rectangular Bar	0.625	1.500			12'	388	388	529
6061	T6511	Rectangular Bar	0.625	2.000			12'	384	384	529
6061	T6511	Rectangular Bar	0.625	2.500			12'	735	735	529
6061	T6511	Rectangular Bar	0.625	3.000			12'	652	652	529
6061	T6511	Rectangular Bar	0.625	4.000			12'	736	736	529
6061	T6511	Rectangular Bar	0.625	5.000			12'	718	718	529
6061	T6511	Rectangular Bar	0.625	6.000			12'	737	737	529
6061	T6511	Rectangular Bar	0.750	1.000			12'	370	370	507
6061	T6511	Rectangular Bar	0.750	1.250			12'	412	412	529
6061	T6511	Rectangular Bar	0.750	1.500			12'	376	376	508
6061	T6511	Rectangular Bar	0.750	1.750			12'	738	738	555
6061	T6511	Rectangular Bar	0.750	2.000			12'	352	352	508
6061	T6511	Rectangular Bar	0.750	2.500			12'	354	354	529
6061	T6511	Rectangular Bar	0.750	3.000			12'	448	448	508
6061	T6511	Rectangular Bar	0.750	3.500			12'	451	451	556
6061	T6511	Rectangular Bar	0.750	4.000			12'	453	453	508
6061	T6511	Rectangular Bar (2)	0.750	4.500			12'		487	572
6061	T6511	Rectangular Bar	0.750	5.000			12'	491	491	529
6061	T6511	Rectangular Bar	0.750	6.000			12'	694	694	508
6061	T6511	Rectangular Bar	0.750	8.000			12'	443	443	508
6061	T6511	Rectangular Bar	0.750	10.000			12'	444	444	953
6061	T6511	Rectangular Bar (3)	0.750	12.000			12'	394		1016

Alloy	Temper	Shape	A Dim	B Dim	T Dim	Wall	Length	Stk # East of Rockies	Stk # West of Rockies	Bundle Weight (LBS)
6061	T6511	Rectangular Bar	1.000	1.250			12'	338	338	529
6061	T6511	Rectangular Bar	1.000	1.500			12'	356	356	508
6061	T6511	Rectangular Bar	1.000	1.750			12'	357	357	494
6061	T6511	Rectangular Bar	1.000	2.000			12'	310	310	508
6061	T6511	Rectangular Bar	1.000	2.500			12'	456	456	529
6061	T6511	Rectangular Bar	1.000	3.000			12'	459	459	508
6061	T6511	Rectangular Bar	1.000	3.500			12'	492	492	494
6061	T6511	Rectangular Bar	1.000	4.000			12'	464	464	508
6061	T6511	Rectangular Bar	1.000	5.000			12'	493	493	564
6061	T6511	Rectangular Bar	1.000	6.000			12'	684	684	508
6061	T6511	Rectangular Bar (2)	1.000	8.000			12'	445	445	1016
6061	T6511	Rectangular Bar	1.000	10.000			12'	418	418	988
6061	T6511	Rectangular Bar (3)	1.000	12.000			12'	430		1016
6061	T6511	Rectangular Bar	1.250	1.500			12'	428	428	476
6061	T6511	Rectangular Bar (2)	1.250	1.750			12'		457	494
6061	T6511	Rectangular Bar	1.250	2.000			12'	686	686	529
6061	T6511	Rectangular Bar	1.250	2.500			12'	494	494	529
6061	T6511	Rectangular Bar	1.250	3.000			12'	495	495	529
6061	T6511	Rectangular Bar	1.250	4.000			12'	496	496	494
6061	T6511	Rectangular Bar	1.250	5.000			12'	300	300	529
6061	T6511	Rectangular Bar	1.250	6.000			12'	739	739	1058
6061	T6511	Rectangular Bar	1.250	8.000			12'	447	447	847
6061	T6511	Rectangular Bar	1.500	2.000			12'	468	468	508
6061	T6511	Rectangular Bar	1.500	2.500			12'	470	470	529
6061	T6511	Rectangular Bar	1.500	3.000			12'	471	471	508
6061	T6511	Rectangular Bar	1.500	3.500			12'	654	654	445
6061	T6511	Rectangular Bar	1.500	4.000			12'	472	472	508
6061	T6511	Rectangular Bar	1.500	5.000			12'	658	658	1058
6061	T6511	Rectangular Bar	1.500	6.000			12'	422	422	1016
6061	T6511	Rectangular Bar	1.500	8.000			12'	436	436	1016
6061	T6511	Rectangular Bar (3)	1.500	12.000			12'	442		1016
6061	T6511	Rectangular Bar (2)	1.750	2.500			12'		423	494
6061	T6511	Rectangular Bar	2.000	2.500			12'	405	405	494
6061	T6511	Rectangular Bar	2.000	3.000			12'	473	473	508
6061	T6511	Rectangular Bar	2.000	3.500			12'	740	740	494
6061	T6511	Rectangular Bar	2.000	4.000			12'	368	368	1129
6061	T6511	Rectangular Bar	2.000	5.000			12'	497	497	988
6061	T6511	Rectangular Bar	2.000	6.000			12'	498	498	1016
6061	T6511	Rectangular Bar	2.000	8.000			12'	449	449	903
6061	T6511	Rectangular Bar	2.500	3.000			12'	656	656	952
6061	T6511	Rectangular Bar	2.500	3.500			12'	741	741	988
6061	T6511	Rectangular Bar	2.500	4.000			12'	499	499	988
6061	T6511	Rectangular Bar	2.500	5.000			12'	475	475	1058
6061	T6511	Rectangular Bar	2.500	6.000			12'	477	477	847
6061	T6511	Rectangular Bar	3.000	3.500			12'	742	742	1037
6061	T6511	Rectangular Bar	3.000	4.000			12'	476	476	1016
6061	T6511	Rectangular Bar	3.000	5.000			12'	478	478	847
6061	T6511	Rectangular Bar	3.000	6.000			12'	479	479	1016
6061	T6511	Rectangular Bar	3.500	4.000			12'	744	744	988
6061	T6511	Rectangular Bar	4.000	5.000			12'	438	438	1129
6061	T6511	Rectangular Bar	4.000	6.000			12'	746	746	1016
6061	T6511	Rectangular Bar (3)	5.000	6.000			12'	747		1270
6061	T6511	Hex (3)	0.750				12'	632		516
6061	T6511	Hex (3)	0.875				12'	634		543
6061	T6511	Hex (3)	1.062				12'	664		543
6061	T6511	Hex (3)	1.125				12'	660		541
6061	T6511	Hex (3)	1.250				12'	666		496

Alloy	Temper	Shape	A Dim	B Dim	T Dim	Wall	Length	Stk # East of Rockies	Stk # West of Rockies	Bundle Weight (LBS)
6061	T6511	Hex (3)	1.375				12'	670		462
6061	T6511	Square Bar	0.500				12'	440	440	519
6061	T6511	Square Bar (3)	0.625				12'	441		530
6061	T6511	Square Bar	0.750				12'	402	402	508
6061	T6511	Square Bar	1.000				12'	374	374	508
6061	T6511	Square Bar	1.250				12'	386	386	529
6061	T6511	Square Bar	1.500				12'	407	407	508
6061	T6511	Square Bar	1.750				12'	416	416	519
6061	T6511	Square Bar	2.000				12'	420	420	564
6061	T6511	Square Bar	2.250				12'	301	301	500
6061	T6511	Square Bar	2.500				12'	424	424	529
6061	T6511	Square Bar (3)	2.750				12'	425		1067
6061	T6511	Square Bar	3.000				12'	398	398	1016
6061	T6511	Square Bar (3)	3.250				12'	410		1043
6061	T6511	Square Bar	3.500				12'	382	382	1037
6061	T6511	Square Bar	4.000				12'	406	406	903
6061	T6511	Square Bar	4.500				12'	328	328	1143
6061	T6511	Square Bar	5.000				12'	309	309	1058
6061	T6511	Square Bar	6.000				12'	646	646	1016
6061	T6	Structural Channel, Aluminum Association (3)	3.000	1.750	0.170		25'	639		560
6061	T6	Structural Channel, Aluminum Association (3)	4.000	2.000	0.150		25'	605		522
6061	T6	Structural Channel, Aluminum Association (3)	4.000	2.250	0.190		25'	633		524
6061	T6	Structural Channel, Aluminum Association (3)	6.000	2.500	0.170		25'	625		567
6061	T6	Structural Channel, Aluminum Association (3)	6.000	3.250	0.210		25'	343		1008
6061	T6	Structural Channel, American Standard	3.000	1.410	0.170		25'	615	615	532
6061	T6	Structural Channel, American Standard (3)	3.000	1.498	0.258		25'	619		519
6061	T6	Structural Channel, American Standard	4.000	1.580	0.180		25'	661	661	554
6061	T6	Structural Channel, American Standard	4.000	1.647	0.247		25'	621	621	486
6061	T6	Structural Channel, American Standard (3)	4.000	1.720	0.320		25'	319		501
6061	T6	Structural Channel, American Standard (3)	5.000	1.750	0.190		25'	687		521
6061	T6	Structural Channel, American Standard (2)	6.000	1.920	0.200		25'		610	565
6061	T6	Structural Channel, American Standard	6.000	1.945	0.225		25'	645	645	450
6061	T6	Structural Channel, American Standard (3)	6.000	2.034	0.314		25'	675		542
6061	T6	Structural Channel, American Standard (2)	10.000	2.600	0.240		25'		461	1056
6061	T6	Structural Channel, American Standard (2)	12.000	2.960	0.300		25'		463	926
6061	T6	Structural Equal Angle	1.000		0.125		25'	629		535
6061	T6	Structural Equal Angle (3)	1.000		0.250		25'	606		514
6061	T6	Structural Equal Angle	1.500		0.125		25'	607	607	508
6061	T6	Structural Equal Angle	1.500		0.188		25'	611	611	542
6061	T6	Structural Equal Angle	1.500		0.250		25'	609	609	505
6061	T6	Structural Equal Angle	2.000		0.125		25'	635	635	519
6061	T6	Structural Equal Angle	2.000		0.188		25'	613	613	531
6061	T6	Structural Equal Angle	2.000		0.250		25'	601	601	555
6061	T6	Structural Equal Angle (3)	2.000		0.375		25'	651		482
6061	T6	Structural Equal Angle (3)	2.500		0.188		25'	653		535
6061	T6	Structural Equal Angle	2.500		0.250		25'	623	623	527
6061	T6	Structural Equal Angle	3.000		0.250		25'	603	603	505
6061	T6	Structural Equal Angle	3.000		0.375		25'	631	631	557
6061	T6	Structural Equal Angle (3)	3.000		0.500		25'		604	1013
6061	T6	Structural Equal Angle	4.000		0.250		25'	655	655	514
6061	T6	Structural Equal Angle (3)	4.000		0.375		25'	657		505
6061	T6	Structural Equal Angle (3)	4.000		0.500		25'	409		993
6061	T6	Structural Equal Angle (2)	6.000		0.500		25'		303	1013
6061	T6	Structural Unequal Angle (3)	2.500	2.000	0.250		25'	693		503
6061	T6	Structural Unequal Angle (3)	3.000	2.000	0.188		25'	673		536
6061	T6	Structural Unequal Angle	3.000	2.000	0.250		25'	617	617	526
6061	T6	Structural Unequal Angle	4.000	3.000	0.250		25'	649	649	497

